BRAIN RESEARCH

VOL. 777 NOS. 1,2 **CONTENTS** **28 NOVEMBER 1997**

Cited in Biological Abstracts (BIOSIS) – Chem. Abstracts – Index Medicus (MEDLINE) – Current Contents (Life Sci.) – Excerpta Medica (EMBASE) – Psychological Abstracts (PsycINFO) – Pascal et Francis (INIST-CNRS) – RIS (Reference Update) – Current Awareness in Biological Science (CABS)

Publisher's Announcement v

Guidelines for the submission of manuscripts vii

Research reports

Methylphenidate: diurnal effects on locomotor and stereotypic behavior in the rat
O. Gaytan, D. Ghelani, S. Martin, A. Swann and N. Dafny (USA) 1

Nitrergic neurons in the medial amygdala project to the hypothalamic paraventricular nucleus of the rat
M. Tanaka, T. Ikeda, S. Hayashi, N. Iijima, F. Amaya, Y. Hisa and Y. Ibata (Japan) 13

An immunocytochemical investigation of the relationship between substance P and the neurokinin-1 receptor in the lateral horn of the rat thoracic spinal cord
R. Pollock, R. Kerr and D.J. Maxwell (UK) 22

Neuronal thermosensitivity and survival of rat hypothalamic slices in recording chambers
P.W. Burgoon, R.W. Burry and J.A. Boulant (USA) 31

d-Amphetamine attenuates decreased cerebral glucose utilization after unilateral sensorimotor cortex contusion in rats
S.A. Queen, M.J. Chen and D.M. Feeney (USA) 42

Dopamine D_1- and D_2-dependent catalepsy in the rat requires functional NMDA receptors in the corpus striatum, nucleus accumbens and substantia nigra pars reticulata
H. Özer, A.C. Ekinci and M.S. Starr (Turkey, UK) 51

Effects of an intrahypothalamic injection of antisense oligonucleotides for preproenkephalin mRNA in female rats: evidence for opioid involvement in lordosis reflex
A. Nicot, S. Ogawa, Y. Berman, K.D. Carr and D.W. Pfaff (USA) 60

Modulation of neuronal mitochondrial membrane potential by the NMDA receptor: role of arachidonic acid
A. Camins, F.X. Sureda, C. Gabriel, M. Pallàs, E. Escubedo and J. Camarasa (Spain) 69

Lysosomal targeting and accumulation of aminoglycoside antibiotics in sensory hair cells
E. Hashino, M. Shero and R.J. Salvi (USA) 75

The connection between absence-like seizures and hypothermia induced by penicillin: possible implication on other animal models of petit mal epilepsy
Z.S. Ostojić, S. Puždijić, I.I. Car, L. Rakić and R. Veskov (Yugoslavia) 86

In vitro study of H^+-sensitive neurons in the ventral medullary surface of neonate rats
S. Sugama, N. Shimokawa, J. Okada and M. Miura (Japan) 95

Distribution and subcellular localization of motilin binding sites in the rabbit brain
I. Depoortere, G. Van Assche and T.L. Peeters (Belgium) 103

Free radical scavengers protect dopaminergic cell lines from apoptosis induced by complex I inhibitors
T.A. Seaton, J.M. Cooper and A.H.V. Schapira (UK) 110

Convergence of multiple G-protein-coupled receptors onto a single type of potassium channel
H. Van Tol-Steye, J.C. Lodder, R.J. Planta, H. Van Heerikhuizen and K.S. Kits (Netherlands) 119

Paired-pulse depression in the superficial layers of the guinea-pig superior colliculus
B. Platt and D.J. Withington (UK) 131

Brain β-endorphin and other opioids are involved in restraint stress-induced stimulation of the hypothalamic–pituitary–adrenal axis, the sympathetic nervous system, and the adrenal medulla in the rat
N. Yamauchi, T. Shibasaki, I. Wakabayashi and H. Demura (Japan) 140

Insulin in the arcuate nucleus of the hypothalamus reduces fat consumption in rats
G. Van Dijk, C. De Groote, M. Chavez, Y. Van der Werf, A.B. Steffens and J.H. Strubbe (The Netherlands, USA) 147

Adenoviral vector-mediated GDNF gene therapy in a rodent lesion model of late stage Parkinson's disease
P.A. Lapchak, D.M. Araujo, D.C. Hilt, J. Sheng and S. Jiao (USA) 153

Behavioural and electrophysiological evidence supporting a role for group I metabotropic glutamate receptors in the mediation of nociceptive inputs to the rat spinal cord
M.R. Young, S.M. Fleetwood-Walker, T. Dickinson, G. Blackburn-Munro, H. Sparrow, P.J. Birch and C. Bountra (UK) 161

Movement-related modulation across the receptive field of neurons in the primary somatosensory cortex of the monkey
R. Courtemanche, G.-D. Sun and Y. Lamarre (Canada, China) 170

(contents continued on p. 258)

0006-8993(19971128)777:1/2;1-5

BRAIN RESEARCH

VOL. 777 NOS. 1,2 **CONTENTS** **28 NOVEMBER 1997**

Cited in Biological Abstracts (BIOSIS) – Chem. Abstracts – Index Medicus (MEDLINE) – Current Contents (Life Sci.) – Excerpta Medica (EMBASE) – Psychological Abstracts (PsycINFO) – Pascal et Francis (INIST-CNRS) – RIS (Reference Update) – Current Awareness in Biological Science (CABS)

Publisher's Announcement v

Guidelines for the submission of manuscripts vii

Research reports

Methylphenidate: diurnal effects on locomotor and stereotypic behavior in the rat
O. Gaytan, D. Ghelani, S. Martin, A. Swann and N. Dafny (USA) 1

Nitrergic neurons in the medial amygdala project to the hypothalamic paraventricular nucleus of the rat
M. Tanaka, T. Ikeda, S. Hayashi, N. Iijima, F. Amaya, Y. Hisa and Y. Ibata (Japan) 13

An immunocytochemical investigation of the relationship between substance P and the neurokinin-1 receptor in the lateral horn of the rat thoracic spinal cord
R. Pollock, R. Kerr and D.J. Maxwell (UK) 22

Neuronal thermosensitivity and survival of rat hypothalamic slices in recording chambers
P.W. Burgoon, R.W. Burry and J.A. Boulant (USA) 31

d-Amphetamine attenuates decreased cerebral glucose utilization after unilateral sensorimotor cortex contusion in rats
S.A. Queen, M.J. Chen and D.M. Feeney (USA) 42

Dopamine D_1- and D_2-dependent catalepsy in the rat requires functional NMDA receptors in the corpus striatum, nucleus accumbens and substantia nigra pars reticulata
H. Özer, A.C. Ekinci and M.S. Starr (Turkey, UK) 51

Effects of an intrahypothalamic injection of antisense oligonucleotides for preproenkephalin mRNA in female rats: evidence for opioid involvement in lordosis reflex
A. Nicot, S. Ogawa, Y. Berman, K.D. Carr and D.W. Pfaff (USA) 60

Modulation of neuronal mitochondrial membrane potential by the NMDA receptor: role of arachidonic acid
A. Camins, F.X. Sureda, C. Gabriel, M. Pallàs, E. Escubedo and J. Camarasa (Spain) 69

Lysosomal targeting and accumulation of aminoglycoside antibiotics in sensory hair cells
E. Hashino, M. Shero and R.J. Salvi (USA) 75

The connection between absence-like seizures and hypothermia induced by penicillin: possible implication on other animal models of petit mal epilepsy
Z.S. Ostojić, S. Puždijić, I.I. Car, L. Rakić and R. Veskov (Yugoslavia) 86

In vitro study of H^+-sensitive neurons in the ventral medullary surface of neonate rats
S. Sugama, N. Shimokawa, J. Okada and M. Miura (Japan) 95

Distribution and subcellular localization of motilin binding sites in the rabbit brain
I. Depoortere, G. Van Assche and T.L. Peeters (Belgium) 103

Free radical scavengers protect dopaminergic cell lines from apoptosis induced by complex I inhibitors
T.A. Seaton, J.M. Cooper and A.H.V. Schapira (UK) 110

Convergence of multiple G-protein-coupled receptors onto a single type of potassium channel
H. Van Tol-Steye, J.C. Lodder, R.J. Planta, H. Van Heerikhuizen and K.S. Kits (Netherlands) 119

Paired-pulse depression in the superficial layers of the guinea-pig superior colliculus
B. Platt and D.J. Withington (UK) 131

Brain β-endorphin and other opioids are involved in restraint stress-induced stimulation of the hypothalamic–pituitary–adrenal axis, the sympathetic nervous system, and the adrenal medulla in the rat
N. Yamauchi, T. Shibasaki, I. Wakabayashi and H. Demura (Japan) 140

Insulin in the arcuate nucleus of the hypothalamus reduces fat consumption in rats
G. Van Dijk, C. De Groote, M. Chavez, Y. Van der Werf, A.B. Steffens and J.H. Strubbe (The Netherlands, USA) 147

Adenoviral vector-mediated GDNF gene therapy in a rodent lesion model of late stage Parkinson's disease
P.A. Lapchak, D.M. Araujo, D.C. Hilt, J. Sheng and S. Jiao (USA) 153

Behavioural and electrophysiological evidence supporting a role for group I metabotropic glutamate receptors in the mediation of nociceptive inputs to the rat spinal cord
M.R. Young, S.M. Fleetwood-Walker, T. Dickinson, G. Blackburn-Munro, H. Sparrow, P.J. Birch and C. Bountra (UK) 161

Movement-related modulation across the receptive field of neurons in the primary somatosensory cortex of the monkey
R. Courtemanche, G.-D. Sun and Y. Lamarre (Canada, China) 170

(contents continued on p. 258)

0006-8993(19971128)777:1/2;1-5

(contents continued)

Stimulation of 5-HT_{1A} receptor inhibits apoptosis induced by serum deprivation in cultured neurons from chick embryo
B. Ahlemeyer and J. Krieglstein (Germany) 179
GTP-cyclohydrolase-I like immunoreactivity in rat brain
D. Dassesse, B. Hemmens, L. Cuvelier and A. Résibois (Belgium, Germany) 187
Metabolic inhibition enhances selective toxicity of L-DOPA toward mesencephalic dopamine neurons in vitro
N. Nakao, K. Nakai and T. Itakura (Japan) 202
NSAIDS inhibit the IL-1β-induced IL-6 release from human post-mortem astrocytes: the involvement of prostaglandin E_2
M.A.A. Blom, M.G.H. Van Twillert, S.C. De Vries, F. Engels, C.E. Finch, R. Veerhuis and P. Eikelenboom (Netherlands, USA) 210

Short communications

Increased seizure susceptibility in adult rats with neuronal migration disorders
I.M. Germano and E.F. Sperber (USA) 219
The subunits of α_2-macroglobulin receptor/low density lipoprotein receptor-related protein, native and transformed α_2-macroglobulin and interleukin 6 in Alzheimer's disease
D.R. Thal, R. Schober and G. Birkenmeier (Germany) 223
Stimulation of NGF production by tryptophan and its metabolites in cultured mouse astroglial cells
L. Dong-Ryul, H. Kondo, S. Furukawa and K. Nakano (Japan) 228
Central insulin inhibits hypothalamic galanin and neuropeptide Y gene expression and peptide release in intact rats
J. Wang and K.L. Leibowitz (USA) 231
Ascending pathways from the nucleus of the solitary tract to the subfornical organ in the rat
J. Tanaka, Y. Hayashi, S. Shimamune and M. Nomura (Japan) 237
Concurrent blockade of β-adrenergic and muscarinic receptors suppresses synergistically long-term potentiation of population spikes in the rat hippocampal CA1 region
M. Kobayashi, M. Ohno, S. Shibata, T. Yamamoto and S. Watanabe (Japan) 242
Adrenergic and peptidergic regulations of hydroxyindole-*O*-methyltransferase activity in rat pineal gland
C. Ribelayga, P. Pévet and V. Simonneaux (France) 247
Effects of metrifonate on radial arm maze acquisition in middle-aged rats
S. Dachir, B. Schmidt and A. Levy (Israel, Germany) 251

Rectification 255

Author Index 256